

IN THE CLAIMS:

Listing of claims:

1 to 5 (Cancelled)

6. (Previously Presented) A film supply apparatus for a foam-in-bag dispenser system, comprising:

a support member;

a spindle supported by said support member, said spindle having a support extension for receiving a roll of film for use;

and a spindle-to-support connector, with said spindle-to-support connector supporting said spindle for adjustment of said spindle between a film feed to dispenser mode position and a film roll replacement position different than said film feed to dispenser mode position, and said film supply apparatus further comprising a roll retention latch provided at a free end of said spindle, and wherein said roll retention latch includes a handle member which is adjustable between a first position where the roll is axially slideable off said spindle and a latch position wherein said roll is precluded from axial sliding off of said spindle which latch position includes said handle itself moving into an axial abutment position relative to the roll received on said spindle.

7. (Cancelled)

8. (Currently Amended) A film supply apparatus for a foam-in-bag dispenser system, comprising:

a support member;

a spindle supported by said support member, said spindle having a support extension for receiving a roll of film for use;

and a spindle-to-support connector, with said spindle-to-support connector supporting said spindle for adjustment of said spindle between a film feed to dispenser mode position and a film roll replacement position different than said film feed to dispenser mode position, and said film supply apparatus further comprising a latch for fixing said spindle in said film feed to dispenser mode position, and wherein said latch includes a latch component which is positioned for deflecting contact with a latch reception component supported by said spindle such that a rotation of said spindle from said film roll replacement position to said film feed to dispenser

mode position automatically moves said latch into a latch state following deflection.

9. (Currently Amended) A film supply apparatus for a foam-in-bag dispenser system, comprising:

a support member;

a spindle supported by said support member, said spindle having a support extension for receiving a roll of film for use;

and a spindle-to-support connector, with said spindle-to-support connector supporting said spindle for adjustment of said spindle between a film feed to dispenser mode position and a film roll replacement position different than said film feed to dispenser mode position, and said film supply apparatus further comprising a latch for fixing said spindle in said film feed to dispenser mode position, and ~~The film supply apparatus of claim 8~~ wherein said latch further comprises a release facilitator which includes means for pushing said spindle out from said film feed to dispenser mode position toward said film roll replacement position.

10. (Previously Presented) A film supply apparatus for a foam-in-bag dispenser system, comprising:

a support member;

a spindle supported by said support member, said spindle having a support extension for receiving a roll of film for use;

and a spindle-to-support connector, with said spindle-to-support connector supporting said spindle for adjustment of said spindle between a film feed to dispenser mode position and a film roll replacement position different than said film feed to dispenser mode position, and wherein said spindle has two axially spaced film roll mounting surfaces of different diameter, with an interior one being larger in diameter than a more outer one of said mounting surface which mounting surfaces are dimensioned relative to core inserts of the film roll which core inserts are dimensioned of different sizes so as to limit mounting of the film roll in only one axial orientation.

11 to 31 (Cancelled)

32. (Currently Amended) The film supply apparatus of claim 10 further comprising a film feed roller set and a ~~wherein said~~ film source driver is arranged to move film backwards or in a direction opposite to a direction of film feed induced by said film feed roller set.

33. (Withdrawn) The film supply apparatus of claim 10 further comprising an idler roller over which the film travels in going between said film source support and said film feed roller set, and said film supply apparatus further comprising film web tracking adjustment means which alters said idler roller orientation to have said film properly track in traveling through said film feed roller set.

34 to 46 (Cancelled)

47. (Previously Presented) The film supply apparatus of claim 6 wherein said roll retention latch includes a radially adjustable retention member that is adjusted into a roll latch position upon adjustment of said handle such that both said radially adjustable member and said handle present an axial slide barrier to the roll being retained.

48. (Currently Amended) A film supply apparatus for a foam-in-bag dispenser system, comprising:

a support member;

a spindle supported by said support member, said spindle having a support extension for receiving a roll of film for use;

and a spindle-to-support connector, with said spindle-to-support connector supporting said spindle for adjustment of said spindle between a film feed to dispenser mode position and a film roll replacement position different than said film feed to dispenser mode position wherein said support extension includes a pair of telescopically sliding sleeves adjustable in axial length for accommodating different axial length film rolls, and ~~The film supply apparatus of claim 7~~ wherein said support extension further comprises a central shaft internally received within said pair of sliding sleeves and a bearing providing bearing contact between said central shaft and an outermost one of said pair of sleeves defining the free end of said spindle.

49. (Previously Presented) The film supply apparatus of claim 10 wherein a border between said mounting surfaces is within an intermediate region of the roll once mounted.

50. (Previously Presented) The film supply apparatus of claim 10 wherein said mounting surfaces are arranged with portions that extend within the roll between the ends of the roll once mounted.

51. (Cancelled)

52. (Currently Amended) A film supply apparatus for a foam-in-bag dispenser system, comprising:

a support member;

a spindle supported by said support member, said spindle having a support extension for receiving a roll of film for use;

and a spindle-to-support connector, with said spindle-to-support connector supporting said spindle for adjustment of said spindle between a film feed to dispenser mode position and a film roll replacement position different than said film feed to dispenser mode position, and wherein said spindle-to-support connector is arranged such that said spindle moves along a horizontal plane in going from a position less easily accessible to one more easily accessible to an operator of the film supply apparatus; and said film supply apparatus further comprising a latch for latching said spindle in the film feed to dispenser mode position, which latch is releasable for adjustment of said film roll to the film roll replacement position, and wherein said
[[The]] film supply apparatus ~~of claim 51 further comprising~~ comprises a movement facilitator that facilitates movement of said spindle from said film feed to dispenser mode position to the film roll replacement position following latch release.

53. (Cancelled)